







Quilt designed by Janet Houts for Blank Quilting

Quilt Size: 60" x 78" Block Size: 6" x 12"

Fabric Requirements:

	Yardage	Cocoa Version	White Version
Fabric A:	2 yards	6750 Cocoa	6750 White
Fabric B:	1-1/4 yards	4368 Pear	4368 Guava
Fabric C:	1-1/4 yards	6752 Cranberry	6752 Blue
Fabric D*:	1 yard	3504 Cocoa	3504 Everglade
Fabric E**:	2 yards	6751 Cocoa	6751 White
Backing:	4-1/2 yards	6751 Cocoa	6751 White
WT 1 1 1.	1.		

^{*}Includes binding

Cutting Instructions:

WOF indicates cutting strips across the width of fabric. LOF indicates cutting strips across the length of fabric.

- Fabric A: Cut (6) 6-1/2" x LOF strips, and re-cut into:
 - (18) 6-1/2" squares
 - (2) 6-1/2" x 66-1/2" strips
- **Fabric B**: Cut (7) 3-1/2" x WOF strips, and re-cut into:
 - (42) 3-1/2" x 6-1/2" strips
 - Cut (2) 7-1/4" x WOF strips, and re-cut into:
 - (8) 7-1/4" squares
- Fabric C: Cut (11) 3-1/2" x WOF strips, and re-cut into:
 - (72) 3-1/2" squares
 - (30) 3-1/2" x 6-1/2" strips
- **Fabric D**: Cut (2) 7-1/4" x WOF strips, and re-cut into:
 - (8) 7-1/4" squares
 - Cut (7) 2-1/4" x WOF strips for binding
- **Fabric E**: Cut (6) 6-1/2" x LOF strips, and re-cut into:
 - (12) 3-1/2" squares
 - (6) 3-1/2" x 6-1/2" strips
 - (4) 6-1/2" x 9-1/2" strips
 - (4) 6-1/2" x 12-1/2" strips
 - (2) 6-1/2" x 66-1/2" strips
- **Backing**: Cut and piece backing fabric to measure 68" x 76"

^{**}Extra yardage needed for backing


Assembling the Blocks:

• Draw a diagonal line on wrong side of all 3-1/2" Fabric C squares. Sew a 3-1/2" Fabric C square on the diagonal to one side of a 3-1/2" x 6-1/2" Fabric B rectangle. Trim 1/4" from stitched line, fold out and press. Repeat on the opposite side of the rectangle to make a flying geese unit. Make 36.




Step 1 - Make 36

• Watching orientation, sew a flying geese unit to opposite sides of a 6-1/2" Fabric A square. Make 18 Block A.




Step 2 – Make 18 Block A


• Layer a 7-1/4" Fabric D square and a 7-1/4" Fabric B square, right sides together. Draw a diagonal line from corner to corner and sew 1/4" on each side of drawn line. Cut apart on the drawn line and press units open to form two half-square triangles. Make 16.



• With right sides together, layer one each of the half-square triangles from step 2, with Fabric B and D triangles facing opposite each other. Draw a diagonal line as shown and sew along both sides. Cut apart along the drawn line and press unit open to form 2 hourglass squares. Make 15 (there will be one left over).



• Watching orientation, sew a 3-1/2" x 6-1/2" Fabric C rectangle to opposite sides of the hourglass square. Make 15 Block B.




Step 5 - Make 15 Block B

Assembling the Rows:

• Refer to Quilt Assembly Diagram to assemble 3 rows of alternating Block A and Block B. Attach these rows to two 6-1/2" x 66-1/2" Fabric A strips.


Borders:

• Following Step 1 instructions, make flying geese units with 3-1/2" Fabric E squares and 3-1/2" x 6-1/2" Fabric B rectangles. Make 6. Sew a flying geese unit to a 3-1/2" x 6-1/2" Fabric E rectangle to complete a border square. Make 6.



Step 6 - Make 6

- Sew three Step 7 border squares to two 6-1/2" x 12-1/2" Fabric E rectangles. Sew a 6-1/2" x 9-1/2" Fabric E rectangle to opposite. Repeat to make top and bottom border rows.
- Sew a 6-1/2" x 66-1/2" Fabric E strip to opposite sides of quilt top. Attach Step 8 top and bottom border rows to complete the quilt top.
- Layer, quilt and bind as desired to finish.



Quilt Assembly Diagram

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.

